



Produced by the United States Geological Survey and National Ocean Survey  
Control by the USGS and NOAA  
Orthophotomaps prepared from aerial photographs taken January 18, 1952. Contours by photogrammetric methods. Base map (topographic) taken January 1955. Field checked 1976. Map edited 1982. Reproduces topographic map dated 1956.  
Bathymetry compiled by the National Ocean Survey from the unclassified hydrographic survey.  
This information is not intended for navigational purposes.  
Map low water (dotted line) and mean high water (solid line) control by 2016 from unclassified aerial photographs. Reproduction of mean high water is not intended for navigation.  
Projection and 18x30-kilometer grid ticks. Planimetric coordinate system, north zone (Lambert conformal conic).  
1800-meter contour interval.  
1987 North American Datum.  
Ties to the projected North American Datum 1983 by means of the projected North American Datum 1983 7 meters west as shown by dashed corner ticks.  
There may be private landholdings within the boundaries of the National or State reservations shown on this map.

UNITED STATES GEOLOGICAL SURVEY  
DEPARTMENT OF THE INTERIOR

QUADRANGLE LOCATION

Section Number	Section Size	Survey Scale	Section Area
44-1938	3600'	1:62,500	50.11
44-1939	3600'	1:62,500	50.11
44-1940	3600'	1:62,500	50.11
44-1941	3600'	1:62,500	50.11
44-1942	3600'	1:62,500	50.11
44-1943	3600'	1:62,500	50.11
44-1944	3600'	1:62,500	50.11
44-1945	3600'	1:62,500	50.11
44-1946	3600'	1:62,500	50.11
44-1947	3600'	1:62,500	50.11
44-1948	3600'	1:62,500	50.11
44-1949	3600'	1:62,500	50.11
44-1950	3600'	1:62,500	50.11
44-1951	3600'	1:62,500	50.11
44-1952	3600'	1:62,500	50.11
44-1953	3600'	1:62,500	50.11
44-1954	3600'	1:62,500	50.11
44-1955	3600'	1:62,500	50.11
44-1956	3600'	1:62,500	50.11
44-1957	3600'	1:62,500	50.11
44-1958	3600'	1:62,500	50.11
44-1959	3600'	1:62,500	50.11
44-1960	3600'	1:62,500	50.11

SCALE 1:24 000

CONTOUR INTERVAL 2 METERS  
SUPPLEMENTARY CONTOUR INTERVAL 1 METER  
DASHED SUPPLEMENTARY CONTOURS ARE APPROXIMATE  
NATIONAL GEODESIC VERTICAL DATUM OF 1929  
CONTROL ELEVATIONS REFER TO THE GEODESIC METER  
EQUATION  
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY  
0.5 METER CONTOURS, EXCEPT IN DEEP WATER  
THE RELATIONSHIP BETWEEN THE TWO SYSTEMS IS VARIABLE  
THE MEAN RANGE OF THE 25 METERS IS 10 METERS

BASE MAP COMPLETES WITH NATIONAL MAP ACCURACY STANDARDS  
BATHYMETRIC SURVEY DATA COMPLETES WITH INTERNATIONAL HYDROGRAPHIC  
ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS  
AND/OR STANDARD DATA AT THE DATE OF THE SURVEY  
FOR SALE BY U.S. GEOLOGICAL SURVEY RESTON, VIRGINIA 20192  
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway, hard surface ——— Light-duty road, hard or improved surface  
Secondary highway, hard surface ——— Unimproved road  
Tie ——— U. S. Route ——— State Route  
County Route

CONTOURS AND ELEVATIONS IN METERS

LONG POINT, FLA.  
50085-A5-TB-024  
1982  
DMA 2864 II 52 SERIES 1970

Long Point, 1982  
USGS and NOAA, Long Point Quadrangle (Reston, VA: United States Geological Survey, 1982)  
Downloaded from Maps ETC, on the web at <http://etc.usf.edu/maps> [map #f3403]