




1. Contour interval is 2 meters.
2. Contours are shown every 100 feet.
3. Elevation is mean low water.



Produced by the United States Geological Survey and National Ocean Survey
Controlled by the USGS and NOAA
Orthophotomaps prepared from aerial photographs taken January 14, 1973. Contours by photogrammetric methods from aerial photographs taken January 1973 and planimetric survey 1961. Field checked 1976. Map dated 1982.
Bathymetry topographic map dated 1950.
Bathymetry compiled by the National Ocean Survey from tide-coordinated hydrographic surveys.
This information is not intended for navigational purposes.
Mean low water (mllw) line and mean high water (mhw) line compiled by NOAA from tide-coordinated aerial photographs by photogrammetry.
Approximate location of outer edge of continental shelf.
Photomaps and 1:50,000 scale grid and Florida coordinate system, north zone (GCS83 datum) used.
1:50,000 scale (GCS83 datum) used.
1927 North American Datum.
7 meters per inch.
7 meters used as shown by dashed contour ticks.
There may be present buildings within the boundaries of the National State Reservations shown on this map.

UTM GRID AND TRUE MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

Survey Number	Survey Date	Survey Name	Scale	North-South	East-West
H-1502	1955	1:50,000	20-29	00-10	
H-1503	1955	1:50,000	20-29	10-20	
H-1504	1957	1:50,000	20-29	20-30	
H-1505	1957	1:50,000	20-29	30-40	
H-1506	1957	1:50,000	20-29	40-50	
H-1507	1957	1:50,000	20-29	50-60	
H-1508	1957	1:50,000	20-29	60-70	
H-1509	1957	1:50,000	20-29	70-80	
H-1510	1957	1:50,000	20-29	80-90	
H-1511	1957	1:50,000	20-29	90-00	
H-1512	1957	1:50,000	20-29	00-10	

SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10,000 METERS

CONTOUR INTERVAL 2 METERS
SUPPLEMENTARY CONTOUR INTERVAL 1 METER
DASHED SUPPLEMENTARY CONTOURS ARE APPROXIMATE NATIONAL GEODETIC DATUM OF 1929 CONTROL ELEVATIONS TO THE NEAREST 0.1 METER
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOUR INTERVAL IN DEEPER LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE

BASE MAP COMPILES WITH NATIONAL MAP ACCURACY STANDARDS
BATHYMETRIC SURVEY DATA COMPILES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND, 2002

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA, 20192
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND, 20852

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface
Secondary highway, hard surface
Interstate Route
County Route

Light-duty road, hard or improved surface
Unimproved road
U.S. Route
State Route

BEACON BEACH, FLA.
30085-66-TB-004
1982
OMA 3444 II SW - SERIES 15470